

A ROYALÉ TOUCHÉ PRODUCT  
MADE IN GERMANY



ROYALÉ TOUCHÉ  
LUXURY LAMINATES  
PLYWOOD  
WOODEN FLOORS

CRAFTED BY NATURE  
PERFECTED FOR YOU

**EDITION 7008**





### LLT - Liquid Layer Technology

Patented technology used for energy saving production of highly stable & balanced planks for a lifetime floor solution.



### MADE IN GERMANY Designed for India



### SYNCHRONISED TEXTURES

The most advanced synchronized textures bringing to life natural wood finishes.



### ISOWAXX

Patented wax protection process across all joints to prevent swelling of the flooring due to moisture.



### VARIABLE PLANK

Different plank sizes to create a majestic yet homely effect in every room type.



### MEGALOC

Adhesive free laying & dismantling system for easy installation & moving whenever required.



### V GROOVE

V Groove effect is specially colored to give the entire floor the same feel & look.



### PRODUCTION

One of the largest manufacturing lines in the world for laminate flooring under one roof.



### 24HR WATERLOCK TECHNOLOGY



### ABRASION-RESISTANT

The highest abrasion class available worldwide of AC4 and AC5 for all the floors.



### Maid - Free

Enjoy our beautiful low maintenance floors.



### NON-FADING

Pigments with UV resistance of 6+ on the blue wool scale, assuring colour fastness for years.

## WHEN TITANS COME TOGETHER

History is created when two titans of industry cross each other's paths, and decide to walk the glory road, together.


A collaborative and creative force of such epic proportions changes the face of the industry, Beckoning a new era. Today we are at the cusp of such a phenomenon..

Royale Touche, a pioneer of luxury laminates in India, an icon with over four decades of prolific experience and expertise, joins hands with Classen, Germany one of the world's leading manufacturers of laminate flooring, to create Royale Touche Floors, the most exclusive range of wooden laminate floorings.

### Why Royale Touche Floors?

- Synchronised Textures: Gives an excellent aesthetic and natural look to the floors, making it impossible to differentiate between laminate & natural wooden floors.
- Water Lock Technology: Prevents seepage of water from joints into the HDF substrate for 24 hours thus preventing any damage and swelling of the product.
- AC5 Abrasion Rating: Provides the floor with the highest in its class abrasion protection against all normal wear & tear and keeps your floors looking new for years to come.
- Liquid Layer Technology: Provides excellent balance and protection to the underside of the product to prevent warpage and allow for even expansion and contraction of the floors.

Newly Arrived




**HERRINGBONE**

**NATURAL COUNTRY OAK - CODE: SAH-867**

ML | 643 x 131 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove

Newly Arrived




**HERRINGBONE**

**MORROCCAN OAK - CODE: SAH-868**

ML | 643 x 131 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove



Newly Arrived



**HERRINGBONE**

**LIGHT BRAZILIAN TIMBER - CODE: SAH-869**

ML | 643 x 131 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove



**HERRINGBONE**

**PRESTIGE OAK - CODE: SH 857**

665 x 133 x 8 SIZES IN MM | SYNCHRONISED | AC4

NEW



**BORNEO TEAK - CODE: 807**






ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | No V-Groove




NEW



**AFRICAN WALNUT - CODE: 808**

 ML | 
  1286 x 194 x 8  
SIZES IN MM | 
  STANDARD | 
  AC4 | 
  No V-Groove

NEW



**SMOKED ITALIAN CHERRYWOOD - CODE: 809**

 ML | 
  1286 x 194 x 8  
SIZES IN MM | 
  STANDARD | 
  AC4 | 
  No V-Groove

NEW



**AGED WOOD - CODE: 864**

 ML | 
  1285 x 192 x 8  
SIZES IN MM | 
  STANDARD | 
  AC4 | 
  4 side V-Groove

NEW



**ENGLISH WALNUT - CODE: 865**

 ML | 
  1210 x 192 x 8  
SIZES IN MM | 
  STANDARD | 
  AC4 | 
  4 side V-Groove



NEW



**HONEY OAK - CODE: 866**

 ML | 
  1210 x 192 x 8  
SIZES IN MM | 
  STANDARD | 
  AC4 | 
  4 side V-Groove

NEW



**TIAGA WALNUT - CODE: 806**

 ML | 
  1286 x 194 x 8  
SIZES IN MM | 
  STANDARD | 
  AC4 | 
  No V-Groove

NEW



**LIGHT PARISIAN TIMBER - CODE: 858**

 ML | 
  1286 x 194 x 8  
SIZES IN MM | 
  STANDARD | 
  AC4 | 
  4 side V-Groove

NEW



**RUSTIC ARCTIC PINE - CODE: 859**

 ML | 
  1286 x 194 x 8  
SIZES IN MM | 
  STANDARD | 
  AC4 | 
  4 side V-Groove



NEW



**PASADENA OAK - CODE: 860**

ML | 1286 x 160 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove

NEW



**SIDENY BLACK TEAK - CODE: SAL 861**

ML | 1285 x 192 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove



TRENDING




**AFRICAN LUGA TEK - CODE: SAL 862**

ML | 1285 x 192 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove



NEW



**VENETIAN MOCHA - CODE: SAL 863**

ML | 1285 x 192 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove







**RIDGED BRAZILIAN OAK - CODE: 802**

**BEST SELLER**

ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | No V-Groove



**DARK JAPANESE SEN - CODE: 804**

**BEST SELLER**

ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | No V-Groove



**DARWIN BLACK - CODE: 805**

**BEST SELLER**

ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | No V-Groove



**TRENDING**

**AFRICAN PADAUK - CODE: SA-839**

ML | 1285 x 192 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove



TRENDING



**MOUNTAIN HEMLOCK - CODE: S-841 A**

ML | 1285 x 158 x 8 SIZES IN MM | SYNCHRONISED | AC4 | 4 side V-Groove



**MONUMENT OAK - CODE: 831**

ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



**BENNET OAK - CODE: 832 A**

**BEST SELLER**

ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



**ANTIC OAK BRAUN - CODE: 833**

**BEST SELLER**

ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



TRENDING



**TAIGA BLACK - CODE: S-837**

ML | 1286 x 160 x 8 SIZES IN MM | SYNCHRONISED | AC4 | 4 side V-Groove




**SMOKED KNOTTY PINE - CODE: L 846**

ML | 1285 x 192 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



**EXOTIC BEACHWOOD - CODE: L 847**

ML | 1285 x 192 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



**SMOKED MANOR WOOD - CODE: S-1203**

ML | 1286 x 194 x 12 SIZES IN MM | SYNCHRONISED | AC4 | 4 side V-Groove








## TECHNICAL PARAMETERS

Characteristics	Test Method	Requirements
<b>General Requirements</b>		
Squareness	EN 13329	≤ 0.20 mm
Straightness	EN 13329	≤ 0.30 mm
Flatness of the elements	EN 13329	<b>Width:</b> concave ≤ 0.15% convex ≤ 0.20 % <b>Length:</b> concave ≤ 0.50 % convex ≤ 1.00 %
Openings	EN 13329	∅ ≤ 0.15 mm / max. ≤ 0.20 mm
Height difference	EN 13329	≤ 0.10 mm / max. ≤ 0.15 mm
Residual indentation	EN ISO 24343-1	≤ 0.05 mm
Light fastness	EN 20105-A02	grey scale level ≥ 4

Essential Characteristics		
Reaction to fire*	EN ISO 11925-2 EN ISO 9239-1	Cfl - S1
Slip resistance*	EN 13893	DS
Formaldehyde*	EN 717-1	E1

Characteristics	Test Method	Requirements
<b>Classification Requirements</b>		
Castor chair resistance	EN 425	no damage with type W after 25000 cycles
Locking strength	ISO 24334	F10.2 ≤ 1.0 kN/m Fs0.2 ≤ 2.0 kN/m
Movement of a furniture leg	EN 424	no damage with type 0
Resistance to staining	EN 438	5 (group 1 and 2), 4 (group 3)
Surface soundness	EN 311	≥ 1.25 N/mm <sup>2</sup>
Wear resistance (AC4)	EN13329	IP ≥ 4000 cycles
Wear resistance (AC5)	EN13329	IP ≥ 6000 cycles
Impact resistance (AC4)	EN13329	small-diameter ball ≥ 12N, large- diameter ball ≥ 750 mm
Impact resistance (AC5)	EN13329	small-diameter ball ≥ 15N, large- diameter ball ≥ 1000 mm
Thickness swelling (AC4)	EN13329	≥ 18%
Thickness swelling (AC5)	EN13329	≥ 15%

## PRE-INSTALLATION PREPARATION



Scan QR Code to View Installation Video

## CLEANING & MAINTENANCE



Scan QR Code to View Cleaning & Maintenance Guide

[www.royaletouche.com/woodenfloors](http://www.royaletouche.com/woodenfloors)  
**Mobile: +91 93 13 807 316**  
**Toll Free : 1800 104 4357**